


# **Classifications for 3D Travel**

#### **Technique Classifications**

- Active versus passive
- Physical versus virtual
- Using task decomposition
- By metaphor

Spring 2025



# Alternate Technique Classification – User Control Level






# Walking Metaphors

#### **Full Gait Techniques**


- Real walking
- Redirected walking
- Scaled walking

Spring 2025



CAP6121 - 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola



# Walking Metaphors


## **Gait Negation Techniques**

- Treadmills
- Passive omnidirectional treadmills
- Active omnidirectional treadmills
- Low-friction surfaces
- Step-based devices



©Joseph 、

©Joseph J. LaViola Jr



CAP6121 - 3D User Interfaces for Games and Virtual Reality

Spring 2025

Spring 2025





## **Steering Metaphors**


Spring 2025

Most common virtual technique metaphor
Steering refers to continuous control of the direction of motion by the user
Travel direction is specified either

Through spatial interactions, or
With physical steering props

CAP6121 - 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr



# **Steering Metaphors**

#### **Physical Steering Props**

- Cockpits
- Cycles

Spring 202

Spring 2025



©Joseph J. LaViola Jr

©Joseph J. LaViola Jr

## Selection-Based Travel Metaphors

CAP6121 - 3D User Interfaces for Games and Virtual Reality

- Depend on the user selecting either a target to travel to or a path to travel along
  Simplify travel by not requiring details
  Techniques take care of the actual movement
- Extremely easy to understand and use

## Selection-Based Travel Metaphors

#### **Target-Based Travel Techniques**

- Representation-based
- Dual-target

Map-based Travel Implementation

CAP6121 - 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola J

©Joseph J. LaViola J

#### Must know

Spring 202


Spring 2025


- map scale relative to world: s
- location of world origin in map CS:  $o = (x_{or} y_{or} z_{o})$

#### On button press:

• if stylus intersects user icon, then each frame:

- get stylus position in map CS: (x, y, z)
- move icon to (x, 0, z) in map CS





### Manipulation-Based Travel Metaphors

Manipulate either the viewpoint or world
Should be used when both travel and object manipulation tasks are frequent
Ideally the same metaphor can be used for both travel and object manipulation

#### Manipulation-Based Travel Metaphors

CAP6121 - 3D User Interfaces for Games and Virtual Reality

**Viewpoint Manipulation Techniques** 

CAP6121 - 3D User Interfaces for Games and Virtual Reality

Camera manipulation

Spring 2025

Spring 2025

- Avatar manipulation
- Fixed-object manipulation



©Joseph J. LaViola J

©Joseph J. LaViola Jr

# Manipulation-Based Travel Metaphors

#### **World Manipulation Techniques**

- Single-point world manipulation
- Dual-point world manipulation

# Grabbing The Air Implementation (one-handed)

CAP6121 - 3D User Interfaces for Games and Virtual Realit

©Joseph J. LaViola J

©Joseph J. LaViola J

#### On pinch:

Spring 2025

Spring 2025

- Obtain initial hand position in world CS:  $(x_{hy}, y_{hy}, z_h)$
- Each frame until release:
  - Obtain current hand position in world CS:  $(x'_{h'} y'_{h'} z'_{h})$
  - Hand motion vector:  $m = ((x'_{hr} y'_{hr} z'_h) (x_{hr} y_{hr} z_h))$
  - Translate world by *m* (or viewpoint by *-m*)
  - $(x_{h'}, y_{h'}, z_{h}) = (x'_{h'}, y'_{h'}, z'_{h})$
- Cannot simply attach objects to hand do not want to match hand rotations

## Other Aspects of Travel Techniques

#### **Viewpoint Orientation**

- Head tracking
- Orbital viewing

Spring 2025

Spring 2025

- Nonisomorphic rotation
- Virtual sphere techniques

## Other Aspects of Travel Techniques

CAP6121 - 3D User Interfaces for Games and Virtual Reality

CAP6121 - 3D User Interfaces for Games and Virtual Reality


©Joseph J. LaViola J


©Joseph J. LaViola J


#### **Velocity Specification**


- Discrete changes
- Continuous control
- Direct input
- Automated velocity














# Wayfinding in 3D Environments

Cognitive aspect of navigation

- Effectiveness depends on the number and quality of the wayfinding cues or aids provided
- Two types of wayfinding aids:
  - User-centered: make use of human perception
  - Environment-centered: depend on virtual world

CAP6121 - 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr

©Joseph J. LaViola J

# Wayfinding in 3DUIs

Difficult problem

Spring 2025

Spring 2025

 Differences between wayfinding in real world and virtual world

- unconstrained movement
- absence of physical constraints
- lack of realistic motion cues

3DUIs can provide a wealth of information



#### **User-Centered Wayfinding Cues**

- Field of view
- Motion cues
- Multisensory output
- Presence

Spring 2025

Spring 2025

Search strategies





CAP6121 - 3D User Interfaces for Games and Virtual Reality

CAP6121 - 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr

©Joseph J. LaViola J







# <section-header><list-item><list-item><list-item><list-item><list-item><table-container>

# **Design Guidelines**

- Provide multiple travel techniques to support different travel tasks in the same application.
- Make simple travel tasks easier by using target-based techniques for goal-oriented travel and steering techniques for exploration and search.
- Use a physical locomotion technique if user exertion or naturalism is required.

CAP6121 - 3D User Interfaces for Games and Virtual Reality

Spring 2025

Spring 2025

©Joseph J. LaViola Jr


©Joseph J. LaViola Jr


## **Design Guidelines**

- The most common travel tasks should require a minimum amount of effort from the user.
- Use high-speed transitional motions, not instant teleportation, if overall environment context is important.
- Train users in sophisticated strategies to help them acquire survey knowledge.

CAP6121 - 3D User Interfaces for Games and Virtual Reality

 If a map is used, provide a you-are-here marker.





# Conclusion

3D travel is another foundational task
Physical and virtual travel approach have various tradeoffs
Wayfinding affects navigation in 3D UIs
Design your virtual world to provide sufficient environment-based wayfinding cues

CAP6121 - 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr

Spring 2025