

**COP 3223 Sec 1: Fall '08 C Programming Prac Test 4 (?? points)**

1. (8 points) Write a program that lists all the capital letters in reverse alphabetical order (Z to A). Make sure you use a loop, DO NOT USE AN ARRAY, and keep your program to under 12 lines of code.
2. (?? points)  
Do question 1, but do it within a void function that takes two ints as pass-by-value parameters. These two ints give the beginning and the end of the range of positions within the alphabet sequence (A is zero). Also write a main program to call this function.
3. (12 points) Write a program and a void function. The void function will take two ints as pass-by-value parameters. These two ints give the start and the end (the start guaranteed to be smaller than the end) of the range of positions within the alphabet sequence (A is zero, B is one, etc.) The function must then print the start capital letter and subsequently every capital letter in the ascending alphabetical order till including the end letter. Make sure the function uses a FOR loop. You may use putchar() or printf.

Also write all the headings (include's, DEFINES, etc.) and the main program to call this function. Before the call, the main should read in two (guaranteed uppercase letters) chars using scanf("%c%c",&startchar,&endchar), and then pass the integer positions of these two uppercase letters to your function. Do not prompt for input, do not error-check, and do not bother with reading in the dummy char at the end of the line.

E.g., If the user types in "CJ", the ints passed to the function should be 2 and 9, and the printed output will be "CDEFGHIJ". If the user types in "HP", the ints sent to the function should be 7 and 15, and the printed output will be "HIJKLMNPO".

You may find this scale helpful in understanding the examples.

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z

4. (?? points)  
Write a function to take two struct records (fields are SSN, and wages earned as floats) as pass-by-value, and if the SSN's agree, the 2 wages should be added and passed back through a third (pass-by-reference) parameter of type struct record. If the SSN's agree, the integer 1 should be returned through the function's name. If they do not agree, the integer zero should be returned and the third parameter should not be tampered with.
5. (?? points)  
Write a function to take three params: an int\*\* array named PIC1 and two ints named numRows and numCols. A fourth int parameter is named Value1. Combine the above with each requirement below to get a new problem for you to solve.
  - a) The int function should loop through the rows and columns, and return the count of the number of elements in PIC1 whose value is Value1.

- b) The void function should loop through the rows and columns and if the element in PIC1 is greater than Value1, the element should be set to 255, otherwise set it to zero.
- c) The void function should add a disk (of brightness 50) of radius Value1 centered at numRows/2 and numCols/2.
- d) The void function should draw the horizontal and vertical axis (of brightness 255) centered at position [Value1, Value1].
- e) The void function should draw a diagonal line of brightness Value1 through the pixel centered at numRows/2 and numCols/2 (Assume that numRows is same as numCols).

6. (?? points)

Write a program that reads in from the first line an integer n, and thereafter on n subsequent lines two things per line (an int SSN and a float wages-earned). All this is from a file. You must prompt for the filename as a string that is certain to be less than 30 chars long. Open the file, etc., read everything, and keep a running total of all the wages earned, then when reading is complete, prompt for an output filename string, open it and write to it the average value of all the earnings.

7. (?? points) Write **ONLY** a void function to take three parameters: an int\*\* array named PIC1 and two ints named numRows and numCols. Assume numRows and numCols are always even numbers (not odd). The function should copy the right half of the picture into the space currently occupied by the left half, but also turn it upside down, as in the figure.



Desired output for the face06.pgm picture

8. (10 points) What is the output of this program caused by the first and sixth call to Print\_Array?

```
#include <stdio.h>
#include <stdlib.h>
#define SIZE 10
void Print_Array(int values[], int length);
void swap(int values[], int i, int j);
void Move_Max(int values[], int max_index);
void Simple_Sort(int values[], int length);
int main() {
    int my_vals[SIZE] = {84, 91, 17, 55, 42, 36, 55, 29, 74, 67};
    printf("original array : ");
    Print_Array(my_vals, SIZE);
    Simple_Sort(my_vals, SIZE);
}
void Simple_Sort(int values[], int length)
{
    int i;
    for (i=length-1; i > 0; i--)
    {
        Move_Max(values, i);
        Print_Array(values, SIZE);
    }
}
void Move_Max(int values[], int max_index)
{
    int max, i, maxi;
    max = values[0];
    maxi = 0;
    for (i=1; i<=max_index; i++)
    {
        if (max < values[i])
        {
            max = values[i];
            maxi = i;
        }
    }
    swap(values, maxi, max_index);
}
void swap(int values[], int i, int j)
{
    int temp;
    temp = values[i];
    values[i] = values[j];
    values[j] = temp;
}
void Print_Array(int values[], int length)
{
    int i;
    for (i=0; i<length; i++)
        printf("%d ", values[i]);
    printf("\n");
}
```